

EQA7 TEST FORMS

Test form – *Enterococcus faecium* / *E. faecalis* panel

Which method did you primarily use for antimicrobial susceptibility testing of *Enterococcus faecium* / *E. faecalis* in this EQA?

- MIC – Broth microdilution (automated)
- MIC – Broth microdilution (conventional)
- MIC – Broth macrodilution (tubes)
- MIC – Agar dilution
- Gradient test
- Disk diffusion

Please note: You will be able to change method for each individual antibiotic in the IT module.

Which standard(s)/guideline(s) did you use when performing AST?

- CLSI
- EUCAST
- ISO20776-1:2019
- TREK
- Other

Which incubation conditions did you use?

_____ °C/_____ h

Comments or additional information:

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.1

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.1 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.2

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.2 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.3

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.3 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.4

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.4 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.5

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.5 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.6

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.6 Identification | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| <input type="checkbox"/> <i>E. faecium</i> | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |
| <input type="checkbox"/> <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> | | | | |
| | | | | |
| <input type="checkbox"/> Not tested | | | | |
| | | | | |

Test form – *E. faecium* / *E. faecalis* – Ef EQAsia 23.7

The highlighted antimicrobials could be omitted by the Human Health laboratories.

| Strain – <i>Enterococcus faecium</i> / <i>E. faecalis</i> | Antimicrobial | Interpretation | | |
|--|--------------------------------|----------------|---|-------|
| | | ≤; =; > | MIC-value (mg/L) or Zone diameter (mm) | S/I/R |
| Ef EQAsia 23.7 Identification <input type="checkbox"/> <i>E. faecium</i> <input type="checkbox"/> <i>E. faecalis</i> <input type="checkbox"/> Non- <i>E. faecium</i> nor <i>E. faecalis</i> <input type="checkbox"/> Not tested | Ampicillin, AMP | | | |
| | Chloramphenicol, CHL | | | |
| | Ciprofloxacin, CIP | | | |
| | Daptomycin, DAP | | | |
| | Erythromycin, ERY | | | |
| | Gentamicin, GEN | | | |
| | Linezolid, LZD | | | |
| | Quinupristin/dalfopristin, SYN | | | |
| | Teicoplanin, TEI | | | |
| | Tetracycline, TET | | | |
| | Tigecycline, TGC | | | |
| | Vancomycin, VAN | | | |

Test form – Reference strain: *Staphylococcus aureus* ATCC 25923/CCM 3953 (for disk diffusion) OR *Enterococcus faecalis* ATCC 29212/CCM 4224 (for MIC)

| Strain – <input type="checkbox"/> <i>Staphylococcus aureus</i> ATCC 25923/CCM 3953 (for disk diffusion) OR <input type="checkbox"/> <i>Enterococcus faecalis</i> ATCC 29212/CCM 4224 (for MIC) | Antimicrobial | MIC value (mg/L) or Zone Diameter (mm) |
|---|--------------------------------|--|
| | Ampicillin, AMP | |
| | Chloramphenicol, CHL | |
| | Ciprofloxacin, CIP | |
| | Daptomycin, DAP | |
| | Erythromycin, ERY | |
| | Gentamicin, GEN | |
| | Linezolid, LZD | |
| | Quinupristin/dalfopristin, SYN | |
| | Teicoplanin, TEI | |
| | Tetracycline, TET | |
| | Tigecycline, TGC | |
| | Vancomycin, VAN | |